



CERTIFICATE OF ANALYSIS

Work Order	: FP2619332	Issue Date	: 27-Jul-2026
Customer	: Kyosun s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Petr Patočka	Contact	: F&P Client Service
Address	: Zárubova 1678, Čelákovice	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: info@matchatea.cz	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: ----	Page	: 1 of 2
Order number	: ----	Date Samples	: 15-Jul-2026
		Received	
		Quote number	: PR2022CAJKV-CZ0001 (CZ-114-22-0000)
Site	: ----	Date of test	: 15-Jul-2026 - 24-Jul-2026
Sampled by	: zákazník	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Report výsledků pouze v AJ.

The sample FP2619332-001, the method B-PESMRS is not accredited for this matrix

Pesticide screening: Accreditation status of parameters depends on tested matrix type.

Attachment/s number TCHC2192508-1 is/are an integral part of the certificate of analysis.

The indicated range of pesticide residues (screening) does not fully agree with the range of residues specified in Council Regulation No. 396/2005, in current wording. This is only a recommended list of residues. Specific residues must be requested outside this range (screening). The indicated range of pesticide residues (screening) may not coincide with the requirements of the authorities.

UK MRL of pesticides are based on Regulation (EC) No. 396/2005.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Eliška Baštářová

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1

No. of samples analysed : 1

Date Samples Received

15-Jul-2026 14:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.



Sub-Matrix : POWDER

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2619332-001	Bio Matcha Harmony (B++) batch 260517	14-Jul-2026

Analytical Results

Sub-Matrix: POWDER

Laboratory sample ID
Client sampling date / time

FP2619332-001		-----	-----
14-Jul-2026		----	----
Result	MU	Result	MU
<10	----	----	----
negative/25g	----	----	----
<10	----	----	----
<0.040	----	----	----
0.11	± 20.0%	----	----
0.133	± 20.0%	----	----
in the attachment TCHC2192508- 1	----	----	----
13900	± 15.0%	----	----
65.6	± 15.0%	----	----
<10.0	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-ALCLCP02	CZ_SOP_D06_09_210 (CSN EN 12856, CSN 56 0578) Determination of caffeine, theobromine, and theophylline by liquid chromatography method with PDA detection and calculation of fat-free cocoa solids from measured values
B-EC1	CSN ISO 16649-2. Enumeration of beta-glucuronidase-positive Escherichia coli by cultivation.
B-METMSDT1	CZ_SOP_D06_09_002 (US EPA Method 200.8, ČSN EN ISO 17294-2, ČSN EN 15111) Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
B-PESMRS	General pesticide screening GC-MS [Subcontracted]
B-SALMELI1	CZ_SOP_D06_09_309 (manual Solus). Detection of Salmonella by ELISA method - commercial set Solus Salmonella. Enrichment and confirmation of the sample according to CSN EN ISO 6579-1.
B-TVC1	CSN EN ISO 4833-1. Enumeration of microorganisms by cultivation.

The symbol "***" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



TEST CERTIFICATE

Medcalfe Way Bridge Street Chatteris Cambridgeshire PE16 6QZ England
Telephone: 01354 697028

Page 1 of 3

Certificate Number:	TCHC2192508-1 Final	Lab Ref.:	CHC2717999
ALS Czech Republic, s.r.o		Date Analysis Started:	17/07/2026
Na Harfe 336/9		Country of Origin:	
190 00 Praha 9		Date Reported:	23/07/2026
Czech Republic			

Commodity: Organic
Sample Details: Description: FP2619332 - 001 - Bio Matcha Harmony (B++) batch 260517
Order No: FP2619332-001
Received Date: 17/07/2026
Start Testing Date: 17/07/2026
Product: None

No residues exceeding the reporting limit were detected for substances with established MRLs.
Other substances, if detected, are listed on the table below.

The residues found is compliant when assessed against EU MRLs.

Note: Default uncertainty of $\pm 50\%$ should be applied when interpreting these data, according to SANTE/11312/2021v2. Our validation data supports SANTE's prerequisite for using this default value.

23/07/26 16:47

By Hannah Garvin, Contaminants Lab Manager

For and on Behalf of ALS Laboratories (UK) Limited

Disclaimers:

MRL = Maximum Residue Level for Organic

Rec. = Recovery efficiency of analytical method. The results on this certificate have not been corrected for recovery efficiency unless stated.

Recoveries were performed on a selection of compounds representative of the pesticide classes analysed in this test.

LOQ = Limit of Quantification/Determination

MRL compliance note: Results are assessed against current Maximum Residue Limit (MRL) requirements applicable in Great Britain (GB) and the European Union (EU). For pesticides, GB MRLs are set/maintained under Assimilated Regulation (EC) No 396/2005 as retained and amended, while EU MRLs are established under Commission Regulation (EC) No 396/2005 and subsequent amendments.

For relevant contaminants/toxins (where regulatory limits apply), GB maximum levels are set under their respective food/feed contaminants legislation Assimilated Commission Regulation (EC) No 1881/2006 and amended equivalents. EU maximum levels are set under their respective food/feed contaminants legislation Commission Regulation (EU) 2023/915 and amended equivalents.

The testing results in this certificate relate only to the samples described above.

Unless otherwise stated, all results are expressed on an as received basis.

Statement of conformity made against the result does not take into account the uncertainty of measurement associated to the method.

Chemistry Samples will be retained for a period of 14 calendar days from the date reported unless otherwise agreed in writing with the Laboratory.

ALS Laboratories (UK) Limited - Registered in England: Company number 02391955



Certificate Number: TCHC2192508-1 Final

Sample Ref.: CHC2717999

Page 2 of 3

Test	Result	Units	MRL	Flag	Test	Result	Units	MRL	Flag
GCMS/MS Pesticide Screen (AM/R/1003)					GCMS/MS Pesticide Screen (AM/R/1003)				
1,4-dimethylnaphthalene	<0.01	mg / kg	0.01	-	Acetochlor	<0.01	mg / kg	0.01	-
Acibenzolar-S-methyl	<0.01	mg / kg	0.01	-	Acclonifen	<0.01	mg / kg	0.01	-
Alachlor	<0.01	mg / kg	0.01	-	Allethrin.	<0.01	mg / kg	0.01	-
Ametryn	<0.01	mg / kg	0.01	-	Atraton	<0.01	mg / kg	0.01	-
Atrazine.	<0.01	mg / kg	0.01	-	Azaconazole.	<0.01	mg / kg	0.01	-
Azinphos ethyl.	<0.01	mg / kg	0.01	-	Benalaxyl.	<0.01	mg / kg	0.01	-
Benfluralin	<0.01	mg / kg	0.01	-	Bifenox	<0.01	mg / kg	0.01	-
Bifenthrin.	<0.01	mg / kg	0.01	-	Bitertanol.	<0.01	mg / kg	0.01	-
Boscalid.	<0.01	mg / kg	0.01	-	Bromophos	<0.01	mg / kg	0.01	-
Bromophos-ethyl	<0.01	mg / kg	0.01	-	Bromopropylate	<0.01	mg / kg	0.01	-
Bromuconazole.	<0.01	mg / kg	0.01	-	Bupirimate.	<0.01	mg / kg	0.01	-
Buprofezin.	<0.01	mg / kg	0.01	-	Butafenacil	<0.01	mg / kg	0.01	-
Butralin	<0.01	mg / kg	0.01	-	Cadusaphos	<0.01	mg / kg	0.01	-
Carbophenothion	<0.01	mg / kg	0.01	-	Chlorfenvinphos	<0.01	mg / kg	0.01	-
cis Chlordane	<0.01	mg / kg	0.01	-	trans Chlordane	<0.01	mg / kg	0.01	-
Chlordane (sum of cis & trans isomers)	<0.01	mg / kg	0.01	-	Chlorfenapyr	<0.01	mg / kg	0.01	-
Chlorfenson	<0.01	mg / kg	0.01	-	Chlormephos	<0.01	mg / kg	0.01	-
Chlorobenzilate	<0.01	mg / kg	0.01	-	Chloroneb	<0.01	mg / kg	0.01	-
Chloropropylate	<0.01	mg / kg	0.01	-	Chlorothalonil	<0.01	mg / kg	0.01	-
Chlorpropham	<0.01	mg / kg	0.01	-	Chlorpyrifos.	<0.01	mg / kg	0.01	-
Chlorpyrifos methyl	<0.01	mg / kg	0.01	-	Chlorthal-dimethyl	<0.01	mg / kg	0.01	-
Chlorthion	<0.01	mg / kg	0.01	-	Chlozolinate	<0.01	mg / kg	0.01	-
Climbazole	<0.01	mg / kg	0.01	-	Clodinafop-propargyl	<0.01	mg / kg	0.01	-
Cloquintocet-mexyl	<0.01	mg / kg	0.01	-	Crimidine	<0.01	mg / kg	0.01	-
Cyanazine.	<0.01	mg / kg	0.01	-	Cyanofenphos	<0.01	mg / kg	0.01	-
Cyanophos	<0.01	mg / kg	0.01	-	Cyfluthrin (sum of isomers)	<0.01	mg / kg	0.01	-
Lambda Cyhalothrin	<0.01	mg / kg	0.01	-	Cypermethrin(sum of isomers).	<0.01	mg / kg	0.01	-
Cyproconazole.	<0.01	mg / kg	0.01	-	Cyprodinil.	<0.01	mg / kg	0.01	-
o,p'-DDD	<0.01	mg / kg	0.01	-	p,p'-DDD	<0.01	mg / kg	0.01	-
o,p'-DDE	<0.01	mg / kg	0.01	-	p,p'-DDE	<0.01	mg / kg	0.01	-
o,p'-DDT	<0.01	mg / kg	0.01	-	p,p'-DDT	<0.01	mg / kg	0.01	-
DDT (sum of pp'-DDE,pp'-DDD,op'-DDT & pp'-DDT expressed as DDT)	<0.01	mg / kg	0.01	-	Deltamethrin.	<0.01	mg / kg	0.01	-
Desmetryn.	<0.01	mg / kg	0.01	-	Diallate	<0.01	mg / kg	0.01	-
Diazinon.	<0.01	mg / kg	0.01	-	Dichlobenil	<0.01	mg / kg	0.01	-
Dichlofenthion	<0.01	mg / kg	0.01	-	Dichlorvos.	<0.01	mg / kg	0.01	-
Diclobutrazol.	<0.01	mg / kg	0.01	-	Diclofop-methyl	<0.01	mg / kg	0.01	-
Dicloran	<0.01	mg / kg	0.01	-	Dicrotophos.	<0.01	mg / kg	0.01	-
Aldrin	<0.01	mg / kg	0.01	-	Dieldrin	<0.01	mg / kg	0.01	-
Sum of Aldrin and Dieldrin (expressed as Dieldrin)	<0.01	mg / kg	0.01	-	Difenoconazole.	<0.01	mg / kg	0.01	-
Dimethomorph.	<0.01	mg / kg	0.01	-	Dioxabenzofos	<0.01	mg / kg	0.01	-
Diphenylamine	<0.01	mg / kg	0.01	-	Dipropetryn	<0.01	mg / kg	0.01	-
Ditalimfos	<0.01	mg / kg	0.01	-	Edifenphos	<0.01	mg / kg	0.01	-
Endosulfan - Alpha	<0.01	mg / kg	0.01	-	Endosulfan - Beta	<0.01	mg / kg	0.01	-
Endosulfan sulphate	<0.01	mg / kg	0.01	-	Endosulfan (sum of alpha and beta isomers and endosulfan sulphate)	<0.01	mg / kg	0.01	-
Endrin	<0.01	mg / kg	0.01	-	EPN	<0.01	mg / kg	0.01	-
EPTC	<0.01	mg / kg	0.01	-	Etaconazole	<0.01	mg / kg	0.01	-
Ethion.	<0.01	mg / kg	0.01	-	Ethofumesate(parent only).	<0.01	mg / kg	0.01	-
Ethoprophos.	<0.01	mg / kg	0.01	-	Etoxazole	<0.01	mg / kg	0.01	-
Etridiazole	<0.01	mg / kg	0.01	-	Etrinfos	<0.01	mg / kg	0.01	-
Flamprop-isopropyl	<0.01	mg / kg	0.01	-	Famphur	<0.01	mg / kg	0.01	-
Fenarimol.	<0.01	mg / kg	0.01	-	Fenchlorphos	<0.01	mg / kg	0.01	-
Fenchlorphos oxon	<0.01	mg / kg	0.01	-	Fenchlorphos (sum of Fenchlorphos & Fenchlorphos oxon)	<0.01	mg / kg	0.01	-
Fenitrothion	<0.01	mg / kg	0.01	-	Fenpiclonil	<0.01	mg / kg	0.01	-
Fenpropathrin	<0.01	mg / kg	0.01	-	Fenpropimorph.	<0.01	mg / kg	0.01	-
Fenson	<0.01	mg / kg	0.01	-	Fensulfothion.	<0.01	mg / kg	0.01	-
Fenthion (parent only)	<0.01	mg / kg	0.01	-	Fenvalerate (sum of isomers)	<0.01	mg / kg	0.01	-
Fipronil (Parent only)	<0.005	mg / kg	0.01	-	Fluazifop-p-butyl (parent only)	<0.01	mg / kg	0.01	-
Fluchloralin	<0.01	mg / kg	0.01	-	Flucythrinate (sum of isomers).	<0.01	mg / kg	0.01	-
Fludioxonil.	<0.01	mg / kg	0.01	-	Flumetralin	<0.01	mg / kg	0.01	-
Flumioxazine	<0.01	mg / kg	0.01	-	Fluopyram.	<0.01	mg / kg	0.01	-
Flurprimidole.	<0.01	mg / kg	0.01	-	Flusilazole.	<0.01	mg / kg	0.01	-
Fluthiacet-methyl	<0.01	mg / kg	0.01	-	Flutolanil.	<0.01	mg / kg	0.01	-
Flutriafol.	<0.01	mg / kg	0.01	-	tau-Fluvalinate	<0.01	mg / kg	0.01	-
Fluxapyroxad	<0.01	mg / kg	0.01	-	Fonofos	<0.01	mg / kg	0.01	-
Furalaxyl.	<0.01	mg / kg	0.01	-	Furathiocarb.	<0.01	mg / kg	0.01	-
Hexachlorobenzene	<0.01	mg / kg	0.01	-	Hexachlorocyclohexane - alpha	<0.01	mg / kg	0.01	-
Hexachlorocyclohexane - beta	<0.01	mg / kg	0.01	-	Hexachlorocyclohexane - delta	<0.01	mg / kg	0.01	-
Hexachlorocyclohexane - gamma	<0.01	mg / kg	0.01	-	Heptachlor	<0.01	mg / kg	0.01	-
trans Heptachlor epoxide	<0.01	mg / kg	0.01	-	cis Heptachlor epoxide	<0.01	mg / kg	0.01	-
Heptachlor (sum of heptachlor & heptachlor epoxide expressed as heptachlor)	<0.01	mg / kg	0.01	-	Heptenophos	<0.01	mg / kg	0.01	-
Hexaconazole.	<0.01	mg / kg	0.01	-	Imazalil.	<0.01	mg / kg	0.01	-
Iodofenphos	<0.01	mg / kg	0.01	-	Iprodione	<0.01	mg / kg	0.01	-
Isazophos	<0.01	mg / kg	0.01	-	Isobenzan	<0.01	mg / kg	0.01	-
Isodrin	<0.01	mg / kg	0.01	-	Isofenphos	<0.01	mg / kg	0.01	-
Isoprocab.	<0.01	mg / kg	0.01	-	Isxadifen-ethyl	<0.01	mg / kg	0.01	-



Certificate Number: TCHC2192508-1 Final

Sample Ref.: CHC2717999

Page 3 of 3

Test	Result	Units	MRL	Flag	Test	Result	Units	MRL	Flag
Isoxathion	<0.01	mg / kg	0.01	-	Kresoxim methyl	<0.01	mg / kg	0.01	-
Leptophos	<0.01	mg / kg	0.01	-	Malathion.	<0.01	mg / kg	0.01	-
MCPA-thioethyl	<0.01	mg / kg	0.01	-	Mecarbam.	<0.01	mg / kg	0.01	-
Mefenapyr-diethyl	<0.01	mg / kg	0.01	-	Mepanipyrim.	<0.01	mg / kg	0.01	-
Metalaxyl and metalaxyl-M (sum of isomers).	<0.01	mg / kg	0.01	-	Metazachlor (Parent only).	<0.01	mg / kg	0.01	-
Metconazole.	<0.01	mg / kg	0.01	-	Methacrifos.	<0.01	mg / kg	0.01	-
Methamidophos.	<0.01	mg / kg	0.01	-	Methidathion.	<0.01	mg / kg	0.01	-
Methoxychlor	<0.01	mg / kg	0.01	-	Metrafenone.	<0.01	mg / kg	0.01	-
Mevinphos.	<0.01	mg / kg	0.01	-	Mirex	<0.01	mg / kg	0.01	-
Monocrotophos.	<0.01	mg / kg	0.01	-	Myclobutanil.	<0.01	mg / kg	0.01	-
Napropamide.	<0.01	mg / kg	0.01	-	Nitratin	<0.01	mg / kg	0.01	-
Nitrofen	<0.01	mg / kg	0.01	-	Nitrothal-isopropyl	<0.01	mg / kg	0.01	-
Nuarimol	<0.01	mg / kg	0.01	-	Ofurace	<0.01	mg / kg	0.01	-
Omethoate.	<0.01	mg / kg	0.01	-	Oxadixyl.	<0.01	mg / kg	0.01	-
Oxyfluorfen	<0.01	mg / kg	0.01	-	Paclotrazol.	<0.01	mg / kg	0.01	-
Parathion Ethyl	<0.01	mg / kg	0.01	-	Parathion Methyl	<0.01	mg / kg	0.01	-
Pebulate	<0.01	mg / kg	0.01	-	Penconazole.	<0.01	mg / kg	0.01	-
Pendimethalin.	<0.01	mg / kg	0.01	-	Pentachloroanisole	<0.01	mg / kg	0.01	-
Pentachlorobenzene	<0.01	mg / kg	0.01	-	Permethrin (sum of isomers).	<0.01	mg / kg	0.01	-
Perthan (1,1-dichloro-2,2-bis(4-ethylphenyl)ethane)	<0.01	mg / kg	0.01	-	Phenothrin.	<0.01	mg / kg	0.01	-
Phenthoate.	<0.01	mg / kg	0.01	-	Phosalone.	<0.01	mg / kg	0.01	-
Phosfolan.	<0.01	mg / kg	0.01	-	Phosmet (parent only).	<0.005	mg / kg	0.01	-
Phosphamidon.	<0.01	mg / kg	0.01	-	Piperonyl-butoxide	<0.01	mg / kg	-	-
Pirimicarb.	<0.01	mg / kg	0.01	-	Pirimiphos ethyl	<0.01	mg / kg	0.01	-
Pirimiphos methyl	<0.01	mg / kg	0.01	-	Procymidone	<0.01	mg / kg	0.01	-
Profenofos.	<0.01	mg / kg	0.01	-	Profluralin	<0.01	mg / kg	0.01	-
Prometryn.	<0.01	mg / kg	0.01	-	Propachlor	<0.01	mg / kg	0.01	-
Propargite.	<0.01	mg / kg	0.01	-	Propazine.	<0.01	mg / kg	0.01	-
Propetamphos.	<0.01	mg / kg	0.01	-	Propham.	<0.01	mg / kg	0.01	-
Propiconazole.	<0.01	mg / kg	0.01	-	Propyzamide.	<0.01	mg / kg	0.01	-
Prothiofos	<0.01	mg / kg	0.01	-	Pyrazophos	<0.01	mg / kg	0.01	-
Pyridaphenthion	<0.01	mg / kg	0.01	-	Pyrimethanil.	<0.01	mg / kg	0.01	-
Quinalphos.	<0.01	mg / kg	0.01	-	Pentachloroaniline	<0.01	mg / kg	0.01	-
Quintozene	<0.01	mg / kg	0.01	-	Quintozene (sum of quintozene & pentachloroaniline expressed as quintozene)	<0.01	mg / kg	0.01	-
Silafluofen	<0.01	mg / kg	0.01	-	Simazine.	<0.01	mg / kg	0.01	-
Sulfotep	<0.01	mg / kg	0.01	-	Sulprofos	<0.01	mg / kg	0.01	-
Tetrachlorvinphos	<0.01	mg / kg	0.01	-	Tebuconazole.	<0.01	mg / kg	0.01	-
Tecnazene	<0.01	mg / kg	0.01	-	Tefluthrin	<0.01	mg / kg	0.01	-
Terbacil	<0.01	mg / kg	0.01	-	Terbufos (parent only)	<0.01	mg / kg	0.01	-
Terbumeton	<0.01	mg / kg	0.01	-	Terbuthylazine.	<0.01	mg / kg	0.01	-
Terbutryn.	<0.01	mg / kg	0.01	-	Tetradifon	<0.01	mg / kg	0.01	-
Tetramethrin.	<0.01	mg / kg	0.01	-	Tetrasul	<0.01	mg / kg	0.01	-
Thiometon	<0.01	mg / kg	0.01	-	Tolclofos methyl	<0.01	mg / kg	0.01	-
Transfluthin	<0.01	mg / kg	0.01	-	Triadimefon.	<0.01	mg / kg	0.01	-
Triadimenol.	<0.01	mg / kg	0.01	-	Tri-allate	<0.01	mg / kg	0.01	-
Triazamate	<0.01	mg / kg	0.01	-	Triazophos.	<0.01	mg / kg	0.01	-
Trichloronate	<0.01	mg / kg	0.01	-	Trietazine.	<0.01	mg / kg	0.01	-
Trifloxystrobin.	<0.01	mg / kg	0.01	-	Trifluralin	<0.01	mg / kg	0.01	-
Triticonazole.	<0.01	mg / kg	0.01	-	Vinclozolin (parent compound only)	<0.01	mg / kg	0.01	-
Zoxamide.	<0.01	mg / kg	0.01	-					

Following compounds failed its QC requirements and hence not reported.

Acephate., Acrinathrin., Anthraquinone, Azinphos methyl., Azoxystrobin., Bentazone (Parent only), Biphenyl, Bromocyclen, Chinomethionate, Chlordecone, Dicofof, Malaoxon., Metribuzin., Pentachlorophenol, Resmethrin., Sum of malathion and malaoxon (expressed as malathion)., Thiabendazole.,