



CERTIFICATE OF ANALYSIS

Work Order	: FP2604757	Issue Date	: 09-Mar-2026
Customer	: Kyosun s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Petr Patočka	Contact	: F&P Client Service
Address	: Trmická 836/1 190 00 Praha 9 Česká republika	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: info@matchatea.cz	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Bio Matcha Imperial - (A+) batch 26150	Page	: 1 of 2
Order number	: ----	Date Samples	: 23-Feb-2026
		Received	
		Quote number	: PR2022CAJKV-CZ0001 (CZ-114-22-0000)
Site	: ----	Date of test	: 23-Feb-2026 - 04-Mar-2026
Sampled by	: zákazník	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

The sample FP2604757/001 the method B-PESMRS - is not accredited for this type of matrix.

Pesticide screening: Accreditation status of parameters depends on tested matrix type.

Attachment/s number TCHC2107241-1 is/are an integral part of the certificate of analysis.

The indicated range of pesticide residues (screening) does not fully agree with the range of residues specified in Council Regulation No. 396/2005, in current wording. This is only a recommended list of residues. Specific residues must be requested outside this range (screening). The indicated range of pesticide residues (screening) may not coincide with the requirements of the authorities.

UK MRL of pesticides are based on Regulation (EC) No. 396/2005.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Eliška Baštářová

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1

Date Samples Received

No. of samples analysed : 1

23-Feb-2026 14:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : NON-ALCOHOLIC DRINKS

Laboratory sample ID	Client sample ID	Client sampling date / time
----------------------	------------------	-----------------------------



Sub-Matrix : NON-ALCOHOLIC DRINKS

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2604757-001	Bio Matcha Imperial - (A+) batch 26150	22-Feb-2026

Analytical Results

Sub-Matrix: NON-ALCOHOLIC DRINKS

Laboratory sample ID
Client sampling date / time

FP2604757-001		-----		-----	
22-Feb-2026		----		----	
Result	MU	Result	MU	Result	MU
<10	----	----	----	----	----
negative/25g	----	----	----	----	----
<10	----	----	----	----	----
<0.040	----	----	----	----	----
0.92	± 20.0%	----	----	----	----
0.059	± 20.0%	----	----	----	----
in the attachment TCHC2107241- 1	----	----	----	----	----
23700	± 15.0%	----	----	----	----
253	± 15.0%	----	----	----	----
<10.0	----	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-ALCLCP02	CZ_SOP_D06_09_210 (CSN EN 12856, CSN 56 0578) Determination of caffeine, theobromine, and theophylline by liquid chromatography method with PDA detection and calculation of fat-free cocoa solids from measured values
B-EC1	CSN ISO 16649-2. Enumeration of beta-glucuronidase-positive Escherichia coli by cultivation.
B-METMSDT1	CZ_SOP_D06_09_002 (US EPA 200.8, ČSN EN ISO 17294-2, ČSN EN 15111) Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
B-PESMRS	General pesticide screening GC-MS [Subcontracted]
B-SALMELI1	CZ_SOP_D06_09_309 (manual Solus). Detection of Salmonella by ELISA method - commercial set Solus Salmonella. Enrichment and confirmation of the sample according to CSN EN ISO 6579-1.
B-TVC1	CSN EN ISO 4833-1. Enumeration of microorganisms by cultivation.

The symbol "***" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis